

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/827,079	04/19/2004	Wen Chin Lin	24061.90 (TSMC2003-0542)	1883
42717	7590 07/05/2006		EXAMINER	
HAYNES AND BOONE, LLP 901 MAIN STREET, SUITE 3100 DALLAS, TX 75202		NGUYEN, VAN THU T		
			ART UNIT	PAPER NUMBER
2,			2824	
			DATE MAIL ED: 07/05/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental	10/827,0
Notice of Allowability	Examin

Application No.	Applicant(s)	·
10/827,079	LIN ET AL.	
Examiner	Art Unit	
VanThu Nguven	2824	

•		, · ·	İ	
	VanThu Nguyen	2824		
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	dication. If not include will be mailed in due	ed course. <b>THIS</b>	
1.   This communication is responsive to conversation with und	ersigned attorney, Dave Hofman, o	<u>n 6/28/06</u> .		
2. X The allowed claim(s) is/are 1,2,4,5,7-9,14 and 16-27.				
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority un</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>				
2. Certified copies of the priority documents have		·		
Copies of the certified copies of the priority doc	• • • • • • • • • • • • • • • • • • • •	<del></del>	tion from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements	
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER' s reason(s) why the oath or declara	S AMENDMENT or N tion is deficient.	OTICE OF	
5. CORRECTED DRAWINGS ( as "replacement sheets") must	t be submitted.			
(a) including changes required by the Notice of Draftsperso		948) attached		
1)  hereto or 2)  to Paper No./Mail Date				
<ul><li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li></ul>	Amendment / Comment or in the O	ffice action of		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in th	84(c)) should be written on the drawin e header according to 37 CFR 1.121(d	gs in the front (not the l).	back) of	
<ol> <li>DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F</li> </ol>	it of BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. N AL MATERIAL.	lote the	
Attachment(s)	5 Date of the control B			
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	•	J-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6.			
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/08         Paper No./Mail Date     </li> </ol>	7. X Examiner's Amendment/Comment			
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. Examiner's Stateme	nt of Reasons for Allo	wance	
	9.	Whulg	n/	
		VanThu Nguyen Primary Examiner		

Art Unit: 2824

Application/Control Number: 10/827,079 Page 2

Art Unit: 2824

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with attorney Dave R. Hofman on June 28, 2006.

The application has been amended as follows:

In Specification, section CROSS-REFERENCE, paragraph [0001]:

- Replace "Attorney Docket No. 24061.24" with -- Serial No. 10/685,824--.
- Replace "Attorney Docket No. 24061.32" with -- Serial No. 10/678,699--.

In Specification, section CROSS-REFERENCE, paragraph [0002]:

- Delete "MRAM CELL HAVING TUBULAR FREE LAYER AND METHOD
   OF MANUFACTURE THEREOF," Attorney Docket No. 24061.88, having Wen
   Chin Lin, Denny D. Tang and Li-Shyue Lai named as inventors".
- Replace "Attorney Docket No. 24061.89" with -- Serial No. 11/030,453--.
- 2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VanThu Nguyen whose telephone number is (571) 272-1881. The examiner can normally be reached on Monday-Thursday, 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/827,079 Page 3

Art Unit: 2824

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

June 28, 2006

VanThu Nguyen Primary Examiner Art Unit 2824